



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

1. Identification of the substance/preparation and the company/undertaking

GHS product identifier

Product name: *GlucoNavii*™ Blood Glucose Monitoring System

Other mean of identification

Product code(s): BGGNM01
UN-Number: N/A
Common Name: *GlucoNavii*™ Blood Glucose Meter

Recommended use of the chemical and restrictions on use

Recommended use: For in vitro quantitative analysis of human capillary and venous blood glucose.

Uses advised against: Do not use without reading "User Instruction Guide".

Supplier address/information

Links Medical Products, Inc.
9247 Research Drive
Irvine, CA 92618
Phone #: (949) 753-0001
Toll Free #: 1-888-425-1149

Emergency telephone number: 1-888-425-1149



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

2. Hazards Identification

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS label elements, including precautionary statements

- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**

Hazard(s) not otherwise classified (HNOC): None know



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	
FIRE	1	
REACTIVITY	0	



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

Hazards Identification (continued)

Emergency overview

Signal Word: Warning – Blood Borne Pathogens

Appearance: Black/Gray Plastic Meter **Physical state:** Plastic Meter **Odor:** None

Precautionary statements

General advice:

- Follow “User Instruction Guide” carefully. Adhere to Standard Precautions when using this device.
- Meter should be disinfected after each use. Follow infection control instructions.
- Keep out of reach of children.
- Do not use meter if it is not working properly or damaged.
- In cold climates, allow meter to warm up to room temperature before use.
- Wear gloves while performing test.
- Do not smoke while using.
- Wash hands with soap and water before and after use.
- Avoid dropping meter or heavy impact to the meter.

Storage:

- Store meter in a dry location at a temperature between **-20°C to +60°C (-4°F to +140° F)**.
- Store in a low humidity environment between 15% - 90%. Do not expose to direct sunlight or heat.
- Always store or transport the meter in its original storage case.

Operation:

- Operation temperature between **10°C to 45°C (50°F to 113°F)**.
- Operation humidity between 15% - 90% RH. Do not expose to direct sunlight or heat.
- Always store or transport the meter in its original storage case.

Disposal:

- Place waste in appropriate container for disposal. Consult local, state, and federal regulations. Do not reuse empty container.

Hazard not otherwise classified (HNOC):

N/A

Other information

Follow “User Instruction Guide” carefully. Keep out of reach of children.



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

3. Composition/Information on ingredients

Chemical name	CAS-No	Weight %	Trade Secret
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory

4. First aid measures

Description of necessary first-aid measures

Eye contact: N/A

Skin contact: N/A

Inhalation: N/A

Ingestion: N/A

Notes to Physician: Treat symptomatically

5. Fire-fighting measures

Extinguishing media: All recognized methods acceptable (Water, Foam, Powder, Carbon Dioxide).

Unusual Fire and Explosion Hazards: Will not support combustion.

Protective equipment and precautions for firefighters: Do not enter enclosed or confined space without proper protective equipment including respiratory protection.



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

6. Accidental release measures

This product does not present a physical or health hazard under reasonable use or under emergency situations involving a release of only this product. This material is therefore not considered to be a "Hazardous Chemical" as defined by the Federal Occupational Safety and Health Administration (29 CFR 1910.1200) or equivalent standards generated by state agencies.

7. Handling and storage

- Store meter in a dry location at a temperature between **-20° to +60°C (-4° to +140° F)**.
- In cold climates, allow meter to warm up to room temperature before use.
- Storage humidity between 15% to 90% RH. Do not expose to direct sunlight or heat.
- Always store or transport the meter in its original storage case.

8. Exposure controls/personal protection

Control parameters- Exposure Controls:

Respiratory protection: Not usually necessary.
Use with adequate ventilation.

Ventilation Local Exhaust: Not usually needed

Ventilation Mechanical (General): Yes

Eye/face protection: None

Skin and body protection: Latex gloves are recommended to ensure a sterile test.

Other Protective Clothing or Equipment: Not usually necessary.

Hygiene measures: Normal.

Wash hands before / after use and before eating, drinking, smoking, using restrooms, etc.
Always disinfect meter after each and every use. Follow GlucoNavii Cleaning Guidelines.



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Plastic case
Odor: None
Appearance: Black/Gray Plastic Meter
Odor threshold: N/A

Property	Values	Remarks/Method
pH	N/A	
Melting point/range	N/A	
Boiling point/boiling range	N/A	
Flash point	Not Flammable	
Evaporation rate	N/A	
Flammability (solid, gas)	Not Flammable	
Flammability limits in air	Not Flammable	
-upper flammability limit	Not Flammable	
-lower flammability limit	Not Flammable	
Vapor pressure	N/A	
Vapor density	N/A	
Specific gravity	N/A	
Water solubility	N/A	
Solubility in other solvents	N/A	
Partition coefficient: n-octanol/water	No Data	
Autoignition temperature	Not Flammable	
Decomposition temperature	No Data	
Viscosity	No Data	
Flammable properties	Not Flammable	
Explosive properties	Not Explosive	
Oxidizing properties	No Data	

Other information

VOC content (%): No Data



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

10. Stability and reactivity

Reactivity:

Stable under normal conditions

Chemical stability:

Stable

Possibility of hazardous reactions:

None known

Conditions to avoid:

Acids, strong oxidizing agents.
Temperature below -2° C or above 60° C.

Incompatible materials:

None known

Hazardous decomposition products:

None known

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

List symptoms: No Data available

Delayed and immediate effects and also chronic effects from short and long term exposure

- Sensitization: No Data available
- Mutagenic effects: Not Mutagenic
- Carcinogenicity: No Data available. Not listed as IARC Carcinogen. Not listed in the NTP report on carcinogens.
- Reproductive toxicity: No Data available
- STOT – single exposure: No Data available
- STOT – repeated exposure: No Data available
- Aspiration hazard: No Data available

Numerical measures of toxicity – product: No data available



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

12. Ecological information

Ecotoxicity:

N.A.

Persistence and Degradability:

Not rapidly degradable

Bioaccumulation:

No data available

Other adverse effects: Not determined

13. Disposal considerations

Waste disposal methods:

Dispose of in-accordance with local, State and Federal regulations

Contaminated packaging:

Discard in appropriate container for disposal. Do not Re-use product packaging container.



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

14. Transport information

Notes: This Material is not regulated by DOT

DOT

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

TDG

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

MEX

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

ICAO

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

IATA

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

IMDG/IMO

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

RID

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

ADR

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii™ Blood Glucose Monitoring System
- Hazard class Non-Hazardous

ADN

- Proper shipping name Non-Regulated Material
- Hazard class GlucoNavii™ Blood Glucose Monitoring System
- Classification code Non-Hazardous



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

15. Regulatory information

Interventional inventories

- TSCA – Substance Not Listed Yes No IECSC

Legend

TSCA: United States Toxic Substances Control Act 8(b) inventory

U.S. Federal regulations:

None

SARA 311/312 Hazard categories

- Acute health hazard – None
- Chronic health hazard – None Known
- Fire hazard – Non-Combustible
- Sudden release of pressure hazard – No Hazard
- Reactive hazard – Inert, No Hazard

Clean Water Act

This product **does not** contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

Chemical name	Hazardous substances RQs	Extremely hazardous substances RQs	RQ
Not Applicable			

U.S. state regulations

California Proposition 65: This product **does not** contain any Proposition 65 chemicals.

U.S. EPA label information

EPA Pesticide registration number: No EPA Registration



Issuing date: April 14, 2016

Revision date: 04-14-2016

Revision number: 01

16. Other information

Supplier address/information

Links Medical Products, Inc.
9247 Research Drive
Irvine, CA 92618
Phone #: (949) 753-0001
Toll Free #: 1-888-425-1149

Emergency telephone number: **1-888-425-1149**

Prepared by:	Eric Gardner - QA / Links Medical Products. Irvine, California.
Issuing date:	April 14, 2016
Revision date:	April 14, 2016
Revision note:	Released

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet