



Product : GlucoNavii ® Blood Glucose Test Strips

SAFETY DATA SHEET

Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

1. Identification of the substance/preparation and the company/undertaking

GHS product identifier

Product name: GlucoNavii ® Blood Glucose Test Strips

Other mean of identification

Product code(s): BGGNS50
UN-Number: N/A
Common Name: Blood Glucose Test Strips

Recommended use of the chemical and restrictions on use

Recommended use: Blood Glucose measurement testing In Vitro diagnostic use (outside the body).
Uses advised against: None

Supplier address/information

Links Medical Products, Inc.
9247 Research Drive
Irvine, CA 92618
Phone #: (949) 753-0001
Toll Free #: 1-888-425-1149

Emergency telephone number: 1-888-425-1149



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

2. Hazards Identification

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

GHS label elements, including precautionary statements

- **GHS label elements:** Non-Regulated Material
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**

Hazard(s) not otherwise classified (HNOC): No Hazardous Ingredients



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

Hazards Identification (continued)

Emergency overview

Signal Word: – Test Strips In Vitro (outside the body)

Appearance: Plastic Strip **Physical state:** Plastic Strip **Odor:** None **Color:** Green, White and Gold

Precautionary statements

General advice:

- Follow label directions carefully.
- Do not use if seal on vial is broken. Do not use if expiration date has passed.
- Use immediately after removing from vial.
- Use within 3 months of opening vial.
- Keep out of reach of children.
- Keep container tightly sealed when not in use.
- Do not swallow.
- One time use each test strip. Do Not Re-use.
- Do not bend, cut or damage test strip.
- Do not smoke while using.

Storage:

- Temperature: 10c – 30c (50f – 86f). Well ventilated, dry location.
- Do not heat, refrigerate or freeze.
- Do not store strips outside of vial.

Disposal:

- Place waste in appropriate container for disposal. Consult local, state, and federal regulations.
- Do not reuse test strip.

Hazard not otherwise classified (HNOC):

N/A

Other information

Follow label directions carefully. **Keep out of reach of children.** Keep container tightly sealed when not in use. Do not contaminate water, food, or feed by use or storage. Do not use if tamper resistant seal has been opened.



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

3. Composition/Information on ingredients

Chemical name	CAS-No	Weight %	Trade Secret
N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A

TSCA: All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory

4. First aid measures

Description of necessary first-aid measures

Eye contact: None

Skin contact: None

Inhalation: None

Ingestion: None

Notes to Physician: Treat symptomatically

5. Fire-fighting measures

Extinguishing media: All recognized methods acceptable (Water, Foam, Powder, Carbon Dioxide).

Unusual Fire and Explosion Hazards: Will not support combustion.

Protective equipment and precautions for firefighters: Do not enter enclosed or confined space without proper protective equipment including respiratory protection.



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

6. Accidental release measures

Clean with soap and water

This product does not present a physical or health hazard under reasonable use or under emergency situations involving a release of only this product. This material is therefore not considered to be a "Hazardous Chemical" as defined by the Federal Occupational Safety and Health Administration (29 CFR 1910.1200) or the equivalent standards generated by state agencies.

7. Handling and storage

- Store in cool, well ventilated, dry location. Temperature 10c – 30c (50f – 86f).
- Use immediately after removing from vial. Do Not Re-use.
- Use within 3 months of opening vial.
- Do Not use if expiration date has passed.
- Do Not refrigerate. Do Not Freeze. Do not heat.
- Do Not use if vial seal has been broken.
- Do Not store strips outside of vial.
- Do Not bend, cut or damage test strip.
- Do Not smoke while using. Use with adequate ventilation.
- Keep out of reach of children.

8. Exposure controls/personal protection

Control parameters- Exposure Controls:

Respiratory protection: Not usually necessary.
Use with adequate ventilation.

Ventilation Local Exhaust: Not usually needed
Ventilation Mechanical (General): Yes

Eye/face protection: None

Skin and body protection: None

Other Protective Clothing or Equipment: Not usually necessary.

Hygiene measures: Normal. Wash hands before / after use and before eating, drinking, smoking, using restrooms, etc.

Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Plastic strip
 Odor: None
 Appearance: Plastic strip
 Color: Green, White and Gold
 Odor threshold: None

Property	Values	Remarks/Method
pH	N/A	
Melting point/range	N/A	
Boiling point/boiling range	N/A	
Flash point	Not Flammable	
Evaporation rate	N/A	
Flammability (solid, gas)	Not Flammable	
Flammability limits in air	Not Flammable	
-upper flammability limit	Not Flammable	
-lower flammability limit	Not Flammable	
Vapor pressure	N/A	
Vapor density	N/A	
Specific gravity	N/A	
Water solubility	N/A	
Solubility in other solvents	Soluble	
Partition coefficient: n-octanol/water	No Data	
Autoignition temperature	Not Flammable	
Decomposition temperature	No Data	
Viscosity	No Data	
Flammable properties	Not Flammable	
Explosive properties	Not Explosive	
Oxidizing properties	No Data	

Other information

VOC content (%): No Data



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

10. Stability and reactivity

Reactivity:

Stable under normal conditions

Chemical stability:

Stable

Possibility of hazardous reactions:

None known

Conditions to avoid:

Excessive heat or cold. Avoid expiration. If seal is broken, do not use.
Do not re-use.

Incompatible materials:

None known

Hazardous decomposition products:

None

11. Toxicological information

Information on likely routes of exposure:

Product information:

- Inhalation: None
- Eye contact: None
- Skin contact: None
- Ingestion: None

Symptoms related to the physical, chemical and toxicological characteristics

List symptoms: No Data available

Delayed and immediate effects and also chronic effects from short and long term exposure

- Sensitization: No Data available
- Mutagenic effects: Not Mutagenic
- Carcinogenicity: No Data available. Not listed as IARC Carcinogen. Not listed in the NTP report on carcinogens.
- Reproductive toxicity: No Data available
- STOT – single exposure: No Data available
- STOT – repeated exposure: No Data available
- Aspiration hazard: No Data available

Numerical measures of toxicity – product: No data available



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

12. Ecological information

Ecotoxicity:

Non-Toxic

Persistence and Degradability:

Not rapidly degradable

Bioaccumulation:

No data available

Other adverse effects: Not determined

13. Disposal considerations

Waste disposal methods:

Dispose of in-accordance with local, State and Federal regulations

Contaminated packaging:

Discard in appropriate container for disposal. Do not Re-use product packaging container.



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

14. Transport information

Notes: This Material is not regulated by DOT

DOT

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

TDG

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

MEX

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

ICAO

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

IATA

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

IMDG/IMO

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

RID

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

ADR

- UN-Number Non-Regulated Material
- Proper shipping name GlucoNavii Blood Glucose Test Strips
- Hazard class Non-Hazardous

ADN

- Proper shipping name Non-Regulated Material
- Hazard class GlucoNavii Blood Glucose Test Strips
- Classification code Non-Hazardous



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

15. Regulatory information

Interventional inventories

- TSCA – Substance Not Listed Yes No IECSC

Legend

TSCA: United States Toxic Substances Control Act 8(b) inventory

U.S. Federal regulations:

None

SARA 311/312 Hazard categories

- Acute health hazard – None
- Chronic health hazard – None Known
- Fire hazard – Non-Combustible
- Sudden release of pressure hazard – No Hazard
- Reactive hazard – Inert, No Hazard

Clean Water Act

This product **does not** contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

Chemical name	Hazardous substances RQs	Extremely hazardous substances RQs	RQ
Not Applicable			Table body

U.S. state regulations

California Proposition 65: This product **does not** contain any Proposition 65 chemicals.

U.S. EPA label information

EPA Pesticide registration number: No EPA Registration



Issuing date: 03-16-2016

Revision date: 03-16-2016

Revision number: 01

16. Other information

Supplier address/information

Links Medical Products, Inc.
9247 Research Drive
Irvine, CA 92618
Phone #: (949) 753-0001
Toll Free #: 1-888-425-1149

Emergency telephone number: **1-888-425-1149**

Prepared by:	Eric Gardner - QA / Links Medical Products. Irvine, California.
Issuing date:	03/16/2016
Revision date:	03/16/ 2016
Revision note:	Released

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet